

STRONG • ELEGANT • EVERLASTING



**No.1**  **LEADING IN**  
**ALUMINIUM HOME PRODUCTS**

2011 | VOL.03



THROUGH THE YEARS WE HAVE GROWN....





... INTO THE BRAND  
THAT'S NOW FAMOUS  
OVER THE WORLD.



©All Rights Reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, without the prior permission in writing of Vitality Marketing Sdn. Bhd. or as permitted by the law.

# CONTENTS

02 CONTENTS

06 THIS IS VITALLY

08 DIY NUT FOR EASY INSTALLATION

10



Front Entry Series  
Corner Entry Series  
Bi-Fold Series  
Conventional Series

**1100 SERIES**  
Aluminium Shower Enclosure

16



Bi-2 / Bi-4 / Lattice Series  
Louver Series  
Lattice Series - Artistic Design / Woodgrain Design  
Fixed Series

**2000 SERIES**  
Aluminium Bi-Fold Door



29



LUX 2810 / LUX 2820  
LUX 2830 / LUX 2840

## 2800 SERIES

Aluminium Multi-Folding Door

30



LUX 2910 / LUX 2980

## 2900 SERIES

Aluminium Suspended Folding Door

32



## 3600 SERIES

Anti-Jump Sliding Door System

Artistic Design / Woodgrain Design

## 3700 SERIES

Aluminium Lattice Anti-Jump Sliding Door System

38



H-Bar  
Louver Series  
Fixed Series

## 3800 SERIES

Aluminium Suspended Sliding Door

42



Artistic Design / Woodgrain Design

## 3900 SERIES

Aluminium Lattice Sliding Door

46



Louver Series

LUX 4550 / LUX 4530 / LUX 4520

Fixed Series

## 4500 SERIES

Aluminium Swing Door

54



LUX 5100 / LUX 5200 / LUX 5900

Frame Design

Easy Installation - Outer Frame

LUX 5600

Ventilator Design

## 5000 SERIES

Aluminium Basin Cabinet

70



LUX 6100 / LUX 6200

LUX 6300 / LUX 6400

## 6000 SERIES

Aluminium Drawer System

72



LUX 7000 / LUX 7100

## 7000 SERIES

Aluminium Door Frame

74



LUX 8100 / LUX 8200 / LUX 8300

## 8000 SERIES

Aluminium Insect Screen

84



Polystyrene Sheet  
MF Board  
Aluminium Plastic Composite Panel  
Composite Ventilator Panel  
Woodgrain Fibreglass Panel

### CHOICE OF INFILL PANELS



### CHARACTERISTICS OF ALUMINIUM

### THE CARE AND MAINTENANCE OF ALUMINIUM



# This is Vitally

## STEP IN THROUGH OUR WORLD

As a leading developer and supplier of art fibreglass panel & aluminium home products in Malaysia, Vitally has been inspiring discerning homemakers, designers and people of the industry with its works of art since 1993. From rustic charm to post-modern chic, there is always something that pulls the heart-string and enriches the living space.

Johor is a hub for innovation in the fibreglass and aluminium home products industries and we're at its heart, promptly reacting to customers' changing needs. As times change, one thing remains certain - our customers can always expect the same high quality products and service levels from us. As with all our products that bear the Vitally trademark, every single one goes through strict quality control just to make sure that our masterpiece remains your joy forever.

For those seeking high quality aluminium products that are easy to care for, durable and highly stylish to feature in your modern home or office, Vitally products are your ultimate choice.

Vitally gives you inspirational and quality aluminium products that is truly a value added aesthetic element to your lovely home. Beauty and quality that will last a lifetime. Vitally.



### ***"Philosophy of 3Q"***

Qualitative, Quantitative, Quickly

### ***"Philosophy of 3S"***

Sincere, Speedy, Smiling





**Vitality** premium quality aluminium home products are tastefully designed to complement today's modern interiors. Long lasting and highly stylish to feature in your modern home or office. Ideal as shower enclosures, bathroom doors, kitchen doors, partitions, ceilings, wardrobe doors, cabinet doors, drawers and insect screens.



MS ISO 9001:2008 Reg. No: 99011014

## **ISO 9001:2008** *OUR QUALITY ASSURANCE*

What does achieving ISO 9001:2008 for Quality Management mean? To us, it translates to offering unrivalled levels of competence in art fibreglass panel and aluminium home products development and technology as well as a total commitment to supporting our customers locally and internationally. To our customers, it simply means they can be rest assured of the highest quality in each Vitality product.


You will find the people at Vitality to be reliable, innovative, and resourceful - the qualities of an industry innovator!

# D.I.Y NUT FOR EASY INSTALLATION

Our Revolutionary Design:



Register No: MY 09-00551-0101



BEFORE



AFTER




The D.I.Y Nut will adjust the U-Channel to fill up the gap between the frame and the wall.



Applied For:

- **1100 Series**  
Aluminium Shower Enclosure
- **2000 Series**  
Aluminium Bi-Fold Door
- **5000 Series**  
Aluminium Basin Cabinet



# DO IT YOURSELF

- Hassle free installation
- Made from transparent nylon for better state-of-the-art design
- Easy & smooth adjustment using Zinc Blue Plated Screw & Hexagon Nut
- Adjustable up to 7/16"






# 1100 SERIES Aluminium Shower Enclosure



Vitally provides high quality Aluminium Shower Enclosures that are available in an extensive range of styles, neat look and finish fitting in all types of bathrooms. It is absolutely safe because it was constructed from tough aluminium, combined with a variety of polystyrene sheets, fibreglass panels or tempered glass that are strong rigid and hard to break. Powder coat finishing is available to assure the durability of the screen.

SPECIAL FRAME COLOUR		STANDARD FRAME COLOUR	
			
Powder Coating White		Natural Anodised	Light Bronze


## FRAME PROFILE




Top Track



Vertical Frame



Bottom Track



## D.I.Y NUT FOR EASY INSTALLATION

- Hassle-free installation
- Adjustable U-Channel ensures high stability
- Better state-of-the-art design
- Hidden screw holes with buffer for a more attractive outer frame appearance
- Less usage of silicon material

## CHOICE OF INFILL PANELS






## FRONT ENTRY SERIES


Enjoy the luxury of space. The front entry series turn an unused cubicle into an ample shower area.

Infill Panel: Polystyrene Sheet | PS 01-C


### TYPICAL SHOWER CONFIGURATIONS




LUX 120




LUX 121



LUX 130



LUX 131



LUX 150


D.I.Y NUT



## CORNER ENTRY SERIES



Infill Panel: 4mm Tempered Glass



LUX 140

Limited space does not constraint pattern and design of the shower enclosure. Corner entry series fits into the smallest available space as it is structured with a fixed and a sliding panel on each side for your easy access into the shower area.

## BI-FOLDING SERIES



Infill Panel: MA 38003

### TYPICAL SHOWER CONFIGURATIONS



LUX 180



LUX 1801

Designed for the smallest bathroom with space constraints, this series gives you the widest opening entering space if it is compared with other series.



## CONVENTIONAL SERIES



Infill Panel: Polystyrene Sheet | PS 01-C

### TYPICAL SHOWER CONFIGURATIONS



LUX 1201




LUX 1301





A classic shower enclosure reflects the basic features of the modern bathroom. It is designed with a combination of a front entry and a fix return panel to be installed at the corner of the bathroom.



# 2000 SERIES Aluminium Bi-Fold Door



Vitality Aluminium Bi-Fold Doors are designed with hard-wearing art fibreglass panels that are highly resistant to breaking. These space-saving doors will not rot, are corrosion-free and water-proof, easy to maintain and install without damaging surrounding walls. They are smooth to open and close. Thanks to the unique seamless folding design that also prevents fingers from being clipped accidentally. Unlike ordinary folding doors, the rollers and accessories of Vitality Aluminium Bi-Fold Doors are made of 100% stainless steel and hard-wearing nylon. Each door's inner frame is reinforced with 23 screws for better durability. Available in a range of modern designs and colours to complement your lifestyle.

SPECIAL FRAME COLOUR		STANDARD FRAME COLOUR		
				
Powder Coating White		Natural Anodised	Light Bronze	Medium Bronze

## INSTRUCTION FOR CORRECT USAGE

### TO OPEN



Pull the ridge at the centre, the door will open slightly.



Push the door edge to the side to fully open the door.

### TO CLOSE



Pull the door edge sideways.



Push the ridge at the centre to close all gaps in between.



Push the lock lever upwards to lock the door.

### TYPES OF BI-FOLD DOOR



#### Built-in Handle

- Handle is built into the door
- Long lasting
- Sleek and attractive design
- Easy and convenient door usage



Bi-2



Bi-2 Lattice



Bi-4



Bi-4 Lattice



1

## INNOVATIVE SLEEK OUTER FRAME DESIGN

- Curves + sleek modern designs are the trademarks of Vitally Bi-Fold Doors
- Easily identifiable Vitally logo
- Available in 4 choices of colours



PROFILE



FRONT VIEW




BACK VIEW

2




GAPLESS CENTRE JOINT

3



TOP VIEW



An indentation with the same shape as the handle's profile ensures adjoining parts are held firmly in place.


4



ROLLER

100% Rust-free Materials:  
Brass + Nylon

1



• 23 discreet screws ensures a strong and longer lasting doors

FRONT VIEW






BACK VIEW



## LOUVER SERIES

# NEW PRODUCT!

Louver design promotes good ventilation in an attractive and practical package.



Louver 1/4, MA 38005



Louver 1/4, MA 38006



Louver 1/4, MA 38007



Full Louver



Louver 1/2, MA 32008



Louver 1/2, MA 32009



Louver 1/2, MA 32010



## LATTICE SERIES



Lattice Design: LUX 2039

## ARTISTIC DESIGN



LUX 2037



LUX 2038




LUX 2039



LUX 2040




## ARTISTIC DESIGN



LUX 2041



LUX 2042



LUX 2043



LUX 2044



LUX 2045



LUX 2046



LUX 2047



LUX 2048




LUX 2049





## ARTISTIC DESIGN




LUX 2050



LUX 2051



LUX 2052




LUX 2053




LUX 2054



LUX 2055



LUX 2056



LUX 2057





*mm...*  
*cm....*  
*inch...*



## ARTISTIC DESIGN



LUX 2058




LUX 2059




LUX 2060



LUX 2061



LUX 2062



LUX 2063



LUX 2064



LUX 2065

## WOODGRAIN DESIGN



LUX 2029  
[W 103, W 111]



LUX 2030  
[W 108, W 106]



LUX 2031  
[W 109, W 120]



LUX 2032  
[W 119, W 113]



LUX 2033  
[W 122, W 101]



LUX 2034  
[W 116, W 107]



LUX 2035  
[W 117, W 113]



LUX 2036  
[W 121, W 105]

\* For overall installation or larger surfaces, there may be colour variations or woodgrain characteristic that are impossible to show with picture image. The producer reserves the right to alter the products herein and no further notification will be given.




## FIXED SERIES



### CHOOSE YOUR DOOR MECHANISM:



FIX 201



FIX 202




FIX 203


# 2800 SERIES Aluminium Multi-Folding Door




## CHOOSE YOUR DOOR MECHANISM:




LUX 2810



LUX 2820



LUX 2830



LUX 2840

### SPECIAL FRAME COLOUR



Powder Coating White

### STANDARD FRAME COLOUR



Natural Anodised



Light Bronze



Medium Bronze




# 2900 SERIES Aluminium Suspended Folding Door



Product: LUX 2980  
Infill Panel: MA 38013

## FRAME PROFILE



Suspended Folding Door comes with imported heavy-duty roller which ensures a greater durability. It has no obstructive bottom track and it makes your floor cleaning easier and preserving the flooring outlook. It is dust free and suitable for bathroom. As for kitchen entrance, it prevents cooking smoke escaping from the kitchen.

### SPECIAL FRAME COLOUR



Powder Coating White

### STANDARD FRAME COLOUR




Natural Anodised



Light Bronze



Medium Bronze





## 3600 SERIES Anti-Jump Sliding Door System



Infill Panel: MA 36014




### An Intelligent Built-in Wardrobe

An exclusive system fitted where doors contain bottom bearing rollers on the bottom track allowing smooth & silent motion.

#### STANDARD FRAME COLOUR




Sandblast Natural Anodised




## ACCESSORIES




## CHOOSE YOUR DOOR MECHANISM:



TYPE 1



TYPE 2




TYPE 3




# 3700 SERIES Aluminium Lattice Anti-Jump Sliding Door System




LUX 3707




LUX 3708




LUX 3709



LUX 3710




LUX 3711



LUX 3712

## ARTISTIC DESIGN



LUX 3713




LUX 3714




LUX 3715



LUX 3716



LUX 3717




LUX 3718




## ARTISTIC DESIGN




LUX 3719




LUX 3720




LUX 3721



LUX 3722



LUX 3723



LUX 3724

## WOODGRAIN DESIGN



LUX 3701  
[W 117, W 108]



LUX 3702  
[W 105, W 108]




LUX 3703  
[W 114, W 103]



LUX 3704  
[W 113, W 121]



LUX 3705  
[W 120, W 115]



LUX 3706  
[W 112, W 107]

\* For overall installation or larger surfaces, there may be colour variations or woodgrain characteristic that are impossible to show with picture image. The producer reserves the right to alter the products herein and no further notification will be given.




# 3800 SERIES Aluminium Suspended Sliding Door




Infill Panel: MA 38015

Our innovative design incorporates a heavy-duty extruded aluminium track with imported extra tough four-wheel adjustable hangers that can withstand 48kg to ensure smooth and whisper-quiet sliding. By removing the obstructive bottom track, we make it easy when sweeping the floor, and safe so that people won't trip over. Not only does it function smoothly like a sail, safety and style are never compromised. Its level of flexibility also means you enjoy more room to innovate and create your desired suspended door. Vitally is the only brand in the market that incorporates door frame design in Aluminium Suspended Sliding Door.

## FRAME PROFILE



Vertical Frame



Top Track



Door Frame

### SPECIAL FRAME COLOUR



Powder Coating White

### STANDARD FRAME COLOUR




Natural Anodised




Light Bronze



Medium Bronze




**FRONT VIEW**



**SIDE VIEW**

### H-BAR

Available in different width and designs.





## LOUVER SERIES

### NEW PRODUCT!

Louver design promotes good ventilation in an attractive and practical package.



SLIDING + Louver 1/4  
(MA 38016)



SLIDING + Louver 1/2  
(MA 38017)




Full Louver

## FIXED SERIES



Infill Panel: 4mm Tempered Glass


### CHOOSE YOUR DOOR MECHANISM:



LUX 3810



LUX 3820




LUX 3830




LUX 3840




LUX 3850



LUX 3860




LUX 3870



LUX 3880



# 3900 SERIES Aluminium Lattice Sliding Door



LUX 3924



LUX 3925



LUX 3926



LUX 3927



LUX 3928




LUX 3929



LUX 3930



LUX 3931



LUX 3932




LUX 3933



LUX 3934




LUX 3935



LUX 3936



LUX 3937



LUX 3938



LUX 3939



## ARTISTIC DESIGN



LUX 3940



LUX 3941



LUX 3942



LUX 3943



LUX 3944



LUX 3945



LUX 3946



LUX 3947

## WOODGRAIN DESIGN



LUX 3916  
[W 116, W 113]



LUX 3917  
[W 110, W 114]



LUX 3918  
[W 118, W 104]



LUX 3919  
[W 124, W 104]



LUX 3920  
[W 113, W 112]



LUX 3921  
[W 110, 103]



LUX 3922  
[W 106, W 105]



LUX 3923  
[W 122, W 109]

\* For overall installation or larger surfaces, there may be colour variations or woodgrain characteristic that are impossible to show with picture image. The producer reserves the right to alter the products herein and no further notification will be given.



# 4500 SERIES Aluminium Swing Door



Louver Design: LUX 4530 + Louver 1/4 (MA 38018)

## SPECIAL FRAME COLOUR



Powder Coating White


## STANDARD FRAME COLOUR



Natural Anodised



Light Bronze





Medium Bronze

## LOUVER SERIES

# NEW PRODUCT!

Louver design promotes good ventilation in an attractive and practical package.



LUX 4550 + Louver 1/4  
(MA 38019)



LUX 4550 + Louver 1/2  
(MA 38020)



LUX 4550 + Louver 1/2  
(MA 38021)



Full Louver



LUX 4530 + Louver 1/4  
(MA 38022)




LUX 4530 + Louver 1/4  
(MA 38023)




LUX 4530 + Louver 1/2  
(MA 38024)




## LUX 4550



- The door is extremely durable with a thickness of 1.30 mm and it is also highly secure
- Clean, attractive and simple designs
- Comes with a choice of stylish and secure high quality locksets



## H-BAR



## STANDARD ACCESSORIES



Separate door parts are held together by metal rods and bolts to form a firm and solid door with no visible gaps.



**HEAVY DUTY CYLINDRICAL LOCK**



**STAINLESS STEEL HINGES**

The door frame does not need to be cut to accommodate the hinges. Our revolutionary curved hinge design ensures easy and hassle-free installation.

## ADD ON ACCESSORIES



SGSL 85



SGSC 80



024 SS



LH 011  
(Single/ Double)



SGSC 80DC



026 SS



LH 012



### DUST SOCKET

Discreetly covers up the hole to prevent dust from entering.



SGLHH 501



LH 013




LUX 4530




Infill Panel: MA 38026

The latest Aluminium Swing Door series incorporate an all new outer frame design that spots a more dynamic 3D appearance. Designed with modern elegance in mind, each door is equipped with a stylish Lever Mortise Lock and joined at 45° to accentuate the contemporary look. Aesthetic, practical and durable, Vitally is the only brand in the market that incorporates door frame design in Aluminium Swing Door.



## H-BAR

Kindly refer 3900 Series Aluminium Lattice Sliding Door (Page 44) for more lattice designs.



### STANDARD ACCESSORIES



**STAINLESS  
STEEL HINGES**



**DOOR LATCH**



**HANDLE**

### ADD ON ACCESSORIES LEVER MORTISE LOCK



**S 888**  
(Single/ Double)



**LH 014**  
(Single/ Double)



LUX 4520



Infill Panel: MA 38027



DOOR PROFILE

- Unique frame with an attractive compact design
- Robust and highly durable
- Comes with a stylish and secure high quality lockset

#### STANDARD ACCESSORIES



STAINLESS  
STEEL HINGES



DOOR LATCH



HANDLE

#### ADD ON ACCESSORIES LEVER MORTISE LOCK



S 888  
(Single/ Double)




LH 014  
(Single/ Double)

## FIXED SERIES


### CHOOSE YOUR DOOR MECHANISM:



FIX 401



FIX 402



FIX 403



FIX 404



FIX 405



FIX 406



Infill Panel: Glass







## 5000 SERIES Aluminium Basin Cabinet



Product: LUX 5100 (CD 638+CD 648)  
Infill Panel: BC 6961-BC6962

Vitaly Aluminium Basin Cabinet lends a contemporary feel and look to your kitchen space. Its innovative user-friendly function such as smooth and silent closing, built-in handle, well organized storage space are paired with an equally pleasing classy design on the outside. Easy to install and clean, rust-resistant, water-proof and maintenance-free. Vitaly Aluminium Basin Cabinet is the perfect answer to the needs of today's modern kitchens. And is the only brand in the market that incorporates frame design in Aluminium Basin Cabinet.

SPECIAL FRAME COLOUR	STANDARD FRAME COLOUR		
			
Powder Coating White	Natural Anodised	Light Bronze	Medium Bronze



### LUX 5100 - SWING UNIT



Simple yet classy, so let your inspirations and ideas take control - for you to enjoy a different taste and lifestyle.

#### HYDRAULIC HINGES



FRONT



BACK

### LUX 5200 - SLIDING UNIT

\*only available for CD 518-568



Easy to install and maintenance is free. It also allows you to quietly and smoothly set the doors in motion with the slightest touch.



SLIDING RAIL  
SYSTEM



SLIDING CLIP & ROLLER


### LUX 5900 - BI-FOLD UNIT



Offers an ideal alternative to sliding and hinged doors. All parts of the doors are rust-free. It offers an attractive design which turns your kitchen outlook from normal to unique.



DOOR BRUSH





FRAME DESIGN

**NEW PRODUCT!**



## MODERN LOOK

- Smaller frame
- Classy design
- Rust-resistant
- Waterproof
- Built-in handle
- Maintenance free

**CD 618**



**CD 628 (Built-in Handle)**



## HYDRAULIC HINGES

- soft & smooth closing








Product: LUX 5100 (CD 638+CD 648)  
Infill Panel: BC 6963-BC 6964

### CD 638




### CD 648 (Built-in Handle)



### BUILT-IN HANDLE

- Matches perfectly with the frame design
- The secure and robust fixture will not loosen after years of use

### CD 658



### CD 668 (Built-in Handle)



### SAFETY JOINT

- There are no protruding parts making day to day usage absolutely safe
- High safety features eliminates injury risks
- Cabinet doors closes silently for pleasant daily use






## SOLID LOOK

- Gives you practical, user-friendly and innovative basin cabinet in your home
- Classy design
- Rust-resistant
- Waterproof
- Built-in handle
- Maintenance free






### HYDRAULIC HINGES

- soft & smooth closing



### ALUMINIUM HANDLES

Available in 3 colours  
to match the frame








## SIMPLE LOOK

- The slim frame gives it a clean and modern look
- Contemporary and innovative design
- Applicable 5mm glass (Sandblast/ Clear)
- The handle is built in for convenience and aesthetics

### STANDARD FRAME COLOUR



Sandblast Natural Anodised



SELECTION ZONE




Infill Panel: BC 6967- BC 6968



OUTER FRAME WITH U-CHANNEL & D.I.Y NUT

**NEW PRODUCT!**

**EASY INSTALLATION  
WITH ADJUSTABLE!**



## LUX 5600 - CABINET SHELF PANEL



- 100% aluminium
- Lightweight
- Strong and durable
- Rust resistance

### STANDARD FRAME COLOUR




Natural Anodised



Light Bronze



Medium Bronze







Product: LUX 5100 (CD 638+CD 648)  
Infill Panel: Composite Ventilator | LUX 5410


## VENTILATOR DESIGN

Ventilator unit prevents humidity and accumulation of unpleasant odour in the cabinet. You will enjoy a perfect balance between an unimpeded view of the design and better ventilation in the cabinet.


## COMPOSITE VENTILATOR

# NEW PRODUCT!


- Excellent thickness, high hardness
- 14 colours available
- 3mm thickness




LUX 5410



LUX 5411




LUX 5412




LUX 5413



LUX 5414




LUX 5415



LUX 5416



LUX 5417




\* Standard colours. Kindly refer Page 87 for composite ventilator code numbers.





# ALUMINIUM LOUVER VENTILATOR & ALUMINIUM LOUVER SHEET

**NEW PRODUCT!**


ALUMINIUM LOUVER SHEET




ALUMINIUM LOUVER VENTILATOR



LUX 5510



LUX 5511



LUX 5512



LUX 5513

## STANDARD FRAME COLOUR



Natural Anodised



Light Bronze




Medium Bronze


## ARTISTIC DESIGN



LUX 5514




LUX 5515



LUX 5516




LUX 5517




LUX 5518



LUX 5519



LUX 5520




LUX 5521



## ALUMINIUM VENTILATOR



LUX 5210



LUX 5211



LUX 5212




LUX 5213



LUX 5214



LUX 5215



### STANDARD FRAME COLOUR



Natural Anodised



Light Bronze



Medium Bronze



## WOODGRAIN DESIGN



LUX 5216  
(W 117)



LUX 5217  
(W 118)



LUX 5218  
(W 114, W 104)



LUX 5219  
(W 120, 108)



LUX 5220  
(W 115)



LUX 5221  
(W 103, W 118)



LUX 5222  
(W 110, W 112)



LUX 5223  
(W 107)

\* For overall installation or larger surfaces, there may be colour variations or woodgrain characteristic that are impossible to show with picture image. The producer reserves the right to alter the products herein and no further notification will be given.



## 6000 SERIES Aluminium Drawer System



Product: LUX 6400  
Infill Panel: BC 6969-BC 6970

Drawer System is synonymous with top quality and maximum utility. Its high quality drawer runners ensure a smooth and silent operation. It offers a stylish and practical space solution for your cutlery, pots and pans. Its front curved profile and quality finished frames will modernize your kitchen.

### STANDARD FRAME COLOUR




Natural Anodised




Light Bronze




Medium Bronze



PERFECT COVERED



CHOICE OF STORAGE SIZE



FULL EXTENSION SLIDE



LUX 6100

Minimum Height Requirement:  
20 4/8"



LUX 6200

Minimum Height Requirement:  
26 5/8"



LUX 6300

Minimum Height Requirement:  
21 5/8"



LUX 6400

Minimum Height Requirement:  
28 4/8"



# 7000 SERIES Aluminium Door Frame

LUX 7000

SIZE AVAILABLE:

36" x 84"  
External Measurement

CUSTOM MADE




## PRECISE CUT CORNER JUNCTIONS

Each corner had been pre-cut at 45° giving a snug fit.



## HEAVY DUTY Six G.I. Plate Bracket

To have stronger grip between frame & wall



## STANDARD FRAME COLOUR



Natural Anodised



Light Bronze



Medium Bronze

## LUX 7100

### SIZE AVAILABLE:


36" x 84"  
External Measurement

CUSTOM MADE



### PRECISE CUT CORNER JUNCTIONS

Each corner had  
been pre-cut at 45°  
giving a snug fit



### THE ADVANTAGES OF LUX 7000 & LUX 7100

1. Strong, durable and user friendly.
2. Coated with high quality anodizing system and it is paint-free.
3. The colour of anodizing will last for about 10 years.
4. Rust free and no insect intervention.
5. Withstand warping, cracking and shrinkage.
6. Easy to maintain.
7. Clean, shining and smoother surface.
8. Light weight and easily transportable.
9. Fast, simple and easily installed.
10. Lasting shape and design.
11. Cost effective and affordable compared to wood and metal frame.

#### SPECIAL FRAME COLOUR



Powder Coating White


#### STANDARD FRAME COLOUR



Natural Anodised



Light Bronze



Medium Bronze



## **8000 SERIES** Aluminium Insect Screen



### **CAUTION!**

Dengue and Chikungunya are viral diseases spread by AEDES mosquito. Prevent breeding of mosquitoes, protect yourself and your loved ones from mosquito bite by installing our Aluminium Insect Screen.



## **STEPS TO CARE FOR ALUMINIUM INSECT SCREEN**

### **LUX 8100 Retractable Protective Screen**

Step 1 Wiping the mesh from inside with a lightly wrung cloth.

Step 2 Wiping the mesh from outside. Place a cloth on the roll-up shaft, and wipe the mesh while storing it.

### **LUX 8200 Magnetic Protective Screen**

Beat the dust off lightly with a duster, and then wipe the screen using a lightly wrung cloth or sponge.

### **LUX 8300 Folding Protective Screen**

Place your hands on both sides of the screen, then wipe the mesh vertically along the pleat line as if kneading it. Accumulation of dust, debris, and pet hairs may cause rough opening and closing or other faults. Frequently remove accumulation with a vacuum cleaner.

- \* We recommend the use of microfiber cloth when caring for the screen rather than a normal rag. Although slightly more expensive, microfiber cloth is the excellent choice for cleaning with a small amount of water and is reusable.



**LUX 8100**

**RETRACTABLE PROTECTIVE SCREEN**




### LOCK & ROLL SYSTEM

Retractable Protective Screens are the leading solution for creating insect free natural ventilation at home. They are there when you need them and out of sight when you don't. Vitally has reinvented the concept of the retractable screen making it safer, more functional and versatile, while pleasing to the eye.

#### STANDARD POWDER COATED FRAME & DECORATIVE STRIP COLOUR



White



Light Grey



Dark Brown

#### VERSATILITY

The screens are tailor made according to your windows.

**Maximum Length Available: 76" X 76"**




#### ADJUSTABLE SPRING TENSION

Humanized outer adjustable housing cap makes the inner spring easily adjustable with minimum strength, and is smooth and quiet while rolling up.




#### SLOW RECOIL CONTROL SYSTEM

The secret to this technology lies in the combination of the spring mechanism and the hydraulic barrel. This hydraulic barrel manages the speed of the recoiling screen so that the retraction is smooth and controlled without the assistance of pull cord which means no more jammed fingers or slamming doors!



#### DURABLE SCREEN MESH

- Manufactured with precision by fully-automated machine to ensure the mesh is flat, able to sustain impact and prevent distortion.
- The bead strap and the mesh is attached with high-tech Heat-Sealing machine, NOT sewing machine.



### LOCK & ROLL SYSTEM



#### RUBBER STOPPER

Enables the handle to stop quietly when it reaches top



#### HANDLE

Unique handle design for a comfortable easy grip



#### END CAP

- To lock the handle
- The holes are sealed to cover the exposed screw nails



#### PULL CORD

Assist in pulling the handle



#### HOLLOW

- To fix the rail in correct position
- Supports and ensures the screen rolls smoothly




#### DECORATIVE STRIP

To cover the exposed screw nails, and retain the beauty of the screen



**LUX 8200**

**MAGNETIC PROTECTIVE SCREEN**



### STICK & SNAP DESIGN

Vitality Magnetic Protective Screen is a simple contraption that is easy to use and maintain. It has the most powerful magnetic attraction to prevent falling off & loss of magnetic power.

- Practically invisible
- Washable & stain proof
- Better indoor ventilation
- Does not rust or brittle
- Fire retardant

#### STANDARD FRAME COLOUR



Beige



Grey




Black

#### VERSATILITY

The screens are tailor made according to your windows.

**Maximum Length Available: 76" X 76"**



- 1** Durable Screen Mesh
- 2** PVC Screen Frame (Width: 12.0 mm)
- 3** Corner Grip
- 4** Powerful Magnetic Strips
- 5** Powerful Double-Sided Tape
- 6** Window Frame

#### FEATURE HIGHLIGHTS



##### TOP CLIP

Fix the Screen Mesh, Magnet & Window Frame together to prevent falling-off.



##### CORNER GRIP

It comes with Vitally Logo on the surface, and can be lifted easily to open the window.



LUX 8300

FOLDING PROTECTIVE SCREEN

*Suitable for  
all windows and doors*



Folding Protective Screen apply on window.

## SLIDE & GLIDE MOTION

Vitaly Folding Protective Screen is smooth, quiet and easily controlled. By simply grasping the handle, the screen slides and glides with ease and stay where positioned on the rail.

### STANDARD POWDER COATED FRAME COLOUR



White



Light Grey




Dark Brown

## SPECIFICATIONS



### SINGLE SLIDING



### DOUBLE SLIDING










#### CORNER BRACKETS

Adjustable to ensure the screen moves smoothly and is evenly tensioned



#### UNIQUE FRAME DESIGN

Incorporate unique frame design that spots a more dynamic 3D appearance



#### PLEATED MESH


Reinforced pleated mesh and support guides ensure the screen is not prone to blow out in the event of strong breeze or nudging



#### HANDLE

Professionally design, ergonomic handle allow easy grip and child friendly

## SLIDE & GLIDE MOTION



### No visible screws!

Vitaly™ has successfully designed a system where no screws or fastenings are seen when the insect screen is fitted to your home



# CHOICE OF INFILL PANELS

## POLYSTYRENE SHEET



PS 01-C



PS 02-C



PS 03-C



PS 04-C



PS 05-C



PS 01-W



PS 02-W



PS 03-W



PS 04-W



PS 05-K



PS 01-T



PS 02-T



PS 03-T



PS 04-P



PS 06-T



PS 01-B



PS 02-G



PS 03-K



PS 06-B

## MF BOARD




MF 23B



MF 25



MF 28



MF 29




MF 30



MF 34



MF 38



MF 50



MF 58



MF 77



MF 89

## ALUMINIUM PLASTIC COMPOSITE PANEL (Size available: 4' x 8' x 3.0 mm)



FLASH SILVER  
VACP 10




FLASH GOLD  
VACP 11



SNOW WHITE  
VACP 12




CREME BEIGE  
VACP 13



CREAMMY GREEN  
VACP 14



SPRING GREEN  
VACP 15



LAGOON BLUE  
VACP 16



PORCELAIN BLUE  
VACP 17




TROPIC BLUE  
VACP 18




IVORY ROSE  
VACP 19



AMAZON RED  
VACP 20



DARK CHOCOLATE  
VACP 21



CHARCOAL GREY  
VACP 22




BOGIC BLACK  
VACP 23


## COMPOSITE VENTILATOR PANEL




FLASH SILVER  
CV 10



FLASH GOLD  
CV 11



SNOW WHITE  
CV 12



CREME BEIGE  
CV 13




CREAMMY GREEN  
CV 14



SPRING GREEN  
CV 15




LAGOON BLUE  
CV 16



PORCELAIN BLUE  
CV 17



TROPIC BLUE  
CV 18



IVORY ROSE  
CV 19



AMAZON RED  
CV 20



DARK CHOCOLATE  
CV 21



CHARCOAL GREY  
CV 22



BOGIC BLACK  
CV 23



## WOODGRAIN FIBREGLOSS PANEL



MAPLE  
W 101



MAPLE  
W 102



MAPLE  
W 103



SEN  
W 104



BEIGE STRAIGHT PINE  
W 105



CENTURY PINE  
W 106



PRECIOUS BEECH  
W 107



SEA BEECH  
W 108



WHITE OAK  
W 109



OAK  
W 110



OAK  
W 111



OAK  
W 112

## WOODGRAIN FIBREGLASS PANEL



ROSE WOOD  
W 113



ROSE WOOD  
W 114



ZEBRA WOOD  
W 115



MOLDAU ACACIA  
W 116



HINDKI  
W 117



MALI WENGE  
W 118



WALNUT MISMATCH  
W 119



WALNUT MISMATCH  
W 120



WALNUT  
W 121



KAKURYOU  
W 122



CHERRY  
W 123



SANDAL WOOD  
W 124



# CHARACTERISTICS OF ALUMINIUM

A unique combination of properties makes aluminium and its alloys one of the most versatile engineering, construction, and home decoration materials available today.



Easy to Install



Strong &  
Durability



Light Weight



Corrosion  
Resistance



Easy to Clean



Easy Surface  
Treatment



Water  
Resistance



Recycleable



Non Magnetic



Rust-free



No Need  
Painting



Unflameable

# THE CARE AND MAINTENANCE OF ALUMINIUM

The life of an anodised, powder coated or painted finish can be greatly enhanced if a regular maintenance program is adopted. Therewith, some useful guidelines for the protection of Aluminium Finishes.

## DO's

1. Protect exposed aluminium surfaces until all wet trades have been completed.
2. Any cement or acid should be removed as soon as practical.
3. When cleaning, wash down all surfaces with a neutral detergent and rinse thoroughly.
4. Remove awkward deposits on **ANODISED** aluminium, with a suitable nylon abrasive cleaning pad or brush, plus neutral detergent, and then rinse.
5. Remove awkward deposits on **POWDER COATED** aluminium, with a suitable soft cloth, plus a neutral detergent, and then rinse.

## DON'Ts

1. Wire brushes, steel wool, emery paper are **NOT** recommended under any circumstances.
2. Avoid mechanical damage from scaffolding, bad handling, etc.
3. Do not allow cleaning with pool acid on anodised finishes.
4. Do not allow cleaning with abrasive pads on powder coated surfaces.
5. Do not allow mortar-cleaning chemicals to come into contact with powder coated and anodised surfaces.
6. Do not allow strong alkalis such as caustic soda, lime, etc to come into contact with aluminium.





[www.vitality.com.my](http://www.vitality.com.my)

The producer reserves the right to alter the products herein and  
no further notification will be given.