

ALUMINIUM BI-FOLD SERIES

200 series



INTELLECTUAL PROPERTY NOTICE

All trade marks in this catalogue, unless otherwise indicated, are subject to the trade mark rights of Vitally Sdn. Bhd. or its related parties and are registered trade marks in Malaysia and other countries. Vitally Sdn. Bhd. or its related parties protect their marks, brands, model names and logos in all countries in which it uses them.

Certain features and/or functionality of the products and/or systems of Vitally Sdn. Bhd. or its related parties as described in this catalogue are the subject matter of granted certificates for utility innovations or patent applications pending before the Intellectual Property Corporation of Malaysia.

The shape, configuration, pattern and/or ornament of the designs applied onto the products found in this catalogue have, where permissible, been protected by way of registered industrial designs in Malaysia by Vitally Sdn. Bhd. or its related parties.

All materials, including texts, images, logos, designs, graphics, photographs, and other materials that appear as part of this catalogue are properties owned or licensed by Vitally Sdn. Bhd. or its related parties, and are protected by copyright or other intellectual property laws all around the world, and all such rights are reserved. The contents of this catalogue, and the catalogue as a whole, may not be scanned, reproduced, adapted, modified, published, or distributed, in whole or in part, without the prior written consent of Vitally Sdn. Bhd. or its related parties.

Vitally Sdn. Bhd. or its related parties views matters relating to its intellectual property rights and interests seriously and will take the necessary actions to protect and enforce its rights against third parties found to be infringing its rights.

NOTIS HARTA INTELEK

Kesemua cap dagangan yang terkandung dalam katalog ini, melainkan yang dinyatakan sebaliknya, adalah tertakluk kepada hak cap dagangan Vitally Sdn. Bhd. atau pihak-pihak yang berkaitan dengannya dan merupakan cap-cap dagangan berdaftar di Malaysia dan negara-negara lain. Vitally Sdn. Bhd. atau pihak-pihak yang berkaitan dengannya telah melindungi cap, jenama, nama model dan logo kepunyaan mereka di negara-negara di mana mereka menggunakan cap, jenama, nama model dan logo tersebut.

Ciri-ciri dan/atau fungsi tertentu produk dan/atau sistem Vitally Sdn. Bhd. atau pihak-pihak yang berkaitan dengannya sebagaimana yang diuraikan dalam katalog ini merupakan hal perkara bagi siji-siji perbaharuan utiliti yang telah dianugerahkan atau permohonan-permohonan paten yang telah ditalkan dengan Perbadanan Harta Intelek Malaysia.

Ciri bentuk, tatarajah, corak dan/atau hiasan yang digunakan pada produk-produk yang dinyatakan dalam katalog ini telah, di mana ia dibenarkan, dilindungi oleh reka bentuk perindustrian berdaftar di Malaysia oleh Vitally Sdn. Bhd. atau pihak-pihak yang berkaitan dengannya.

Kesemua bahan, termasuk teks, imej, logo, reka bentuk, grafik, gambar dan bahan-bahan lain yang terkandung di mana-mana bahagian katalog ini merupakan harta yang dimiliki oleh atau dilesenkan oleh Vitally Sdn. Bhd. atau pihak-pihak yang berkaitan dengannya dan telah dilindungi oleh hakcipta atau undang-undang harta intelek yang lain di seluruh dunia dan kesemua hak tersebut adalah terpelihara. Kandungan katalog ini, dan katalog ini secara keseluruhannya, tidak boleh dilimbas, dikeluarkan semula, diubahsuai, disadur, disesuaikan, diterbitkan, atau diedarkan, sama ada secara keseluruhannya atau sebahagiannya, tanpa keizinan terdahulu secara bertulis dari Vitally Sdn. Bhd. atau pihak-pihak yang berkaitan dengannya.

Vitally Sdn. Bhd. atau pihak-pihak yang berkaitan dengannya memandang serius terhadap perkara-perkara berhubung dengan hak-hak harta inteleknya dan akan mengambil tindakan yang bese-suaian bagi melindungi dan menguatkuasa hak-hak tersebut ke atas pihak ketiga yang didapati melanggar hak-hak tersebut.

知识产权通告

本产品目录册中的所有商标,皆受制于Vitally Sdn. Bhd. 或其相关方的商标权, 并于马来西亚与其他国家受承认为注册商标, 除非另有说明。所有Vitally Sdn. Bhd. 或其相关方正在使用的商标, 品牌, 型号名称与标志, 皆已于相关国家受保护。

本产品目录册中所描述并属于Vitally Sdn. Bhd. 或其相关方的产品和/或系统的特定特征和/或特定功能, 乃Vitally Sdn. Bhd. 或其相关方已成功注册为实用新型专利中的发明元素或已呈交于马来西亚知识产权局的专利申请中的发明元素。

所有应用于本产品目录册中所描述的产品上之形状、配置、图案和/或设计, 在被允许的情况下, 已在马来西亚获得Vitally Sdn. Bhd. 或其相关方名下的工业设计注册之保护。

所有素材, 包括文字、图像、标志、设计、图形设计、照片, 以及其它在本产品目录册中所使用的素材皆由Vitally Sdn. Bhd. 或其相关方所拥有或授权, 并在世界各地受到版权或其它知识产权法律的保护。我们一律保留所有相关权益。本产品目录册的内容以及整体目录册, 无论是整体或部分, 在未获得Vitally Sdn. Bhd. 或其相关方的预先书面同意之下, 一律不得被扫描、复制、改编、修改、发布或分发。


Vitally Sdn. Bhd. 或其相关方严谨看待其知识产权与权益。为了保护并执行有关产权与权益, 我们将采取必要的行动以杜绝第三方的任何侵权行为。

VECTOR 10i

INDICATOR LOCK




How the **Occupancy Indicator** Works ?




Specifically Designed For :



We **care** about what's important to you



Privacy matters – Your privacy is our **core concern**



NOW

Your privacy is assured with the clearly visible "In-Use" and "Vacant" occupancy indicator.




BEFORE


Unnecessary waiting and embarrassing moments inevitably happen.

VECTOR 20i

INDICATOR LOCK



How the **Occupancy Indicator** Works ?



Specifically Designed For :

BI-FOLD[®]
one

BI-FOLD[®]
mini



BI-FOLD KING® AIR

230B

TRACKLESS

SUSPENDED BI-FOLD DOOR

- Barrier-free Pathway
- Safe and Convenient
- Reduce Cleaning Hassle
- Powder Coating Sandblast Finishing
- Detachable Top Track
- Vector 10i Indicator Lock
- Door Withstand up to 40kg



Without
Bottom Track

TESTED & PROVEN!

150,000X

OPENING & CLOSING CYCLE TEXT

U-SHAPED QUAD SUSPENDED ROLLER

This innovative Suspended Roller firmly grabs the top track to ensure smooth and silent sliding.


Door Withstand Up To

40KG

of weight for long term usage.



OUTER FRAME DESIGN (POWDER COATING SANDBLAST)



ADJUSTABLE TOP STOPPER *1



BOTTOM BLOCK *2



PIVOT PLUG *3



BOTTOM GUIDE *4



VECTOR 10i INDICATOR LOCK



DETACHABLE TOP TRACK

The Top Track is detachable to easy roller maintenance and installation.




HANDLE ALLOWING VENTILATION

The Handle profile ensures adjoining parts to be held firmly in place while allowing air ventilation.



D.I.Y. NUT & U-CHANNEL



*1, 2, 3 & 4 please refer to page 22.



BI-FOLD KING® PRO

230A

HEAVY DUTY SUSPENDED BI-FOLD DOOR

- Smooth and Solid
- Powder Coating Sandblast Finishing
- Detachable Top Track
- Vector 10i Indicator Lock
- Door Withstand up to 40kg



TESTED & PROVEN!

150,000X

OPENING & CLOSING CYCLE TEXT

U-SHAPED QUAD SUSPENDED ROLLER

Door Withstand Up To

40KG

of weight for long term usage.



VECTOR 10i INDICATOR LOCK




ADJUSTABLE TOP STOPPER *1



CLOTH HANGER



HANDLE ALLOWING VENTILATION




DETACHABLE TOP TRACK



D.I.Y. NUT & U-CHANNEL

The D.I.Y. Nuts push U-Channel to fill up the gap between the door frame and the wall for easy installation.



OUTER FRAME DESIGN

(POWDER COATING SANDBLAST)



*1 please refer to page 22.

TESTED & PROVEN!

150,000X

OPENING & CLOSING CYCLE TEXT

DUO SUSPENDED ROLLER

The extra tough Suspended Roller, ensures smooth and silent sliding.

Door Withstand Up To

20KG

of weight for long term usage.



VECTOR 20i INDICATOR LOCK



ADJUSTABLE
TOP STOPPER *1



BOTTOM
BLOCK *2



PIVOT
PLUG *3




BOTTOM
GUIDE *4



*1, 2, 3 & 4 please refer to page 22.

OUTER FRAME DESIGN (POWDER COATING / ANODISED)



DETACHABLE TOP TRACK


The Top Track is detachable to easy roller maintenance and installation.



HANDLE ALLOWING VENTILATION



D.I.Y. NUT & U-CHANNEL





BI-FOLD®
one

BI-FOLD ONE® AIR 210C

TRACKLESS SUSPENDED BI-FOLD DOOR

- Barrier-free Pathway
- Safe and Convenient
- Reduce Cleaning Hassle
- Powder Coating / Anodised Finishing
- Detachable Top Track
- Vector 20i Indicator Lock
- Door Withstand up to 20kg



Without
Bottom Track

BI-FOLD®
one

BI-FOLD ONE® PRO

210B


DURABILITY

SUSPENDED BI-FOLD DOOR

- Reliable and Durable
- Powder Coating / Anodised Finishing
- Detachable Top Track
- Vector 20i Indicator Lock
- Door Withstand up to 20kg



OUTER FRAME DESIGN
(POWDER COATING / ANODISED)



VECTOR 20i
INDICATOR LOCK




ADJUSTABLE TOP STOPPER *1




CLOTH HANGER



HANDLE ALLOWING VENTILATION



D.I.Y. NUT & U-CHANNEL



TESTED & PROVEN!

150,000X

OPENING & CLOSING CYCLE TEST

DUO SUSPENDED ROLLER

Door Withstand Up To
20KG
of weight for long term usage.



DETACHABLE TOP TRACK

The Top Track is detachable to easy roller maintenance and installation.



*1 please refer to page 22.



GRAPHIC: M112138

BI-FOLD®
one

BI-FOLD ONE® LITE

210A

STABILITY

STANDARD BI-FOLD DOOR

- Powder Coating / Anodised Finishing
- Vector 20i Indicator Lock
- Door Withstand up to 15kg



WARRANTY & CORROSION RESISTANT



TESTED & PROVEN!

150,000X

OPENING & CLOSING CYCLE TEXT

BEARING STEEL ROLLER

Door Withstand Up To
15KG
of weight for long term usage.



Top

Bottom


VECTOR 20i INDICATOR LOCK




ADJUSTABLE TOP STOPPER *1



HANDLE ALLOWING VENTILATION



OUTER FRAME DESIGN (POWDER COATING / ANODISED)




CLOTH HANGER

- Simple and Convenient
- Withstand up to 4kg
- Can be folded upward when not in use



D.I.Y. NUT & U-CHANNEL



*1 please refer to page 22.



BI-FOLD®
mini

BI-FOLD MINI®PRO

250B


RELIABILITY

SUSPENDED BI-FOLD DOOR

- Powder Coating / Anodised Finishing
- Vector 20i Indicator Lock
- Door Withstand up to 20kg



OUTER FRAME DESIGN
(POWDER COATING / ANODISED)




VECTOR 20i
INDICATOR LOCK



**ADJUSTABLE
TOP STOPPER *1**



**HANDLE ALLOWING
VENTILATION**



**DUO
SUSPENDED
ROLLER**

Door Withstand Up To
20KG
of weight for long
term usage.



Top


Bottom

CLOTH HANGER

- Simple and Convenient
- Withstand up to 4kg
- Can be folded upward when not in use



D.I.Y. NUT & U-CHANNEL



*1 please refer to page 22.



BI-FOLD[®]
mini

BI-FOLD MINI[®]LITE

250A

PRACTICALITY

STANDARD BI-FOLD DOOR

- Powder Coating / Anodised Finishing
- Vector 20i Indicator Lock
- Door Withstand up to 15kg



OUTER FRAME DESIGN (POWDER COATING / ANODISED)




VECTOR 20i INDICATOR LOCK



ADJUSTABLE TOP STOPPER *1



HANDLE ALLOWING VENTILATION



BEARING STEEL ROLLER

Door Withstand Up To

15KG

of weight for long
term usage.



Top


Bottom

CLOTH HANGER

- Simple and Convenient
- Withstand up to 4kg
- Can be folded upward when not in use



D.I.Y. NUT & U-CHANNEL




*1 please refer to page 22.

LOUVER DESIGN

Special louver design provide great ventilation allowing air to flow through.

B2 DOOR

B4 DOOR




B2V03

Panel: VACP19D



B2V02

Panel: VACP11D



B2V01

Panel: VACP20D




B4V03

Panel: VACP18D



B4V02

Panel: VACP10D




B4V01

Panel: VACP15D



B4V00



LATTICE DESIGN

Lattice design is an alternative to straddles the line between functional and decorative.


B2 DOOR

B4 DOOR



B2C01

Panel: VACP10D



B2C03

Panel: VACP17D




B2C05

Panel: VACP19D




B2C06

Panel: VACP16D




B2C07

Panel: VACP18D



B2C09

Panel: VACP15D



B4C16

Panel: VACP11D




B4C20


Panel: VACP14D

FIXED DESIGN


Fixed partition system designed for large opening can easily change the perception of physical borders.



TYPE 1



TYPE 2



TYPE 3



GRAPHIC: M112192




GRAPHIC: M112195 - M112196

MULTI-FOLDING DESIGN

Multi-Folding design offers maximum space saving with multitude of applications.



Door brush between the gaps ensures smooth and quiet door operation.



TYPE 1



TYPE 2



TYPE 3



TYPE 4

Only applicable to the following models:

BI-FOLD®
one

BI-FOLD ONE@PRO (B2 & B4)

BI-FOLD ONE@LITE (B2 & B4)


BI-FOLD®
mini

BI-FOLD MINI@PRO (B2 & B4)

BI-FOLD MINI@LITE (B2 & B4)



TYPE 5



TYPE 6



TYPE 7

ACCESSORIES INDEX



GRAPHIC: M112142

*1 ADJUSTABLE TOP STOPPER

The Top Stopper adjustment ensures smoother door operation and prevents unintentional door opening.



*2 BOTTOM BLOCK

This special designed Bottom Block ensures the door is lock firmly and steadily with least wobbling after closing, even without the Bottom Track.



*3 PIVOT PLUG

Pivot Plug enables easy installation and alteration as adjustment of position can be done easily without needing to change the rollers.



*4 BOTTOM GUIDE

The Bottom Guide consists of Door Catch and Pivot Socket which combine perfectly for a neat and consistent door closing. After being fastened to the Pivot Socket, it serves as the guide and stabiliser to ensure the door to be closed perfectly and steadily with minimum wobbling.



CHOICES OF INFILL PANEL

ECO ART PANEL

There are thousands of different design for selection.



SCAN ME
FOR MORE DESIGNS.

Look for more eco art panel design at
www.vitality.com.my/e-catalog-category/eco-art-panel/



ecopoly®
TRANSPARENT

ecoscreen®
TRANSLUCENT

ecobonz®
OPAQUE

AEROLITE PANEL

20 solid colours and 30 Woodgrain with different visual effect for selection.

SOLID COLOURS



TANGERINE TWIST
ASD 108



GOLDEN BARK
ASD 109



LIGHT GREY
ASD 110



LEMON PUNCH
ASD 111



APPLE GREEN
ASD 115



TOMATO RED
ASD 120



DARK COFFEE
ASD 121

WOODGRAIN



FINELINE
AWG 201



WATERFALL LINE
AWG 203



WHEAT STRAND
AWG 206



BURMESE TEAK
AWG 212



HAZELNUT CHERRY
AWG 216



OILED OLIVEWOOD
AWG 218



BLACKEN LEGNO
AWG 230

ALUMINIUM COMPOSITE PANEL

24 colours with different visual effect for selection.



FLASH SILVER
VACP 10D



FLASH GOLD
VACP 11D



SNOW WHITE
VACP 12D



CREME BEIGE
VACP 13D



CREAMY GREEN
VACP 14D



SPRING GREEN
VACP 15D



LAGOON BLUE
VACP 16D



PORCELAIN BLUE
VACP 17D



TROPIC BLUE
VACP 18D



IVORY ROSE
VACP 19D



AMAZON RED
VACP 20D



DARK CHOCOLATE
VACP 21D



CHARCOAL GREY
VACP 22D



BOSIC BLACK
VACP 23D



BLACK SILVER
VACP 26D



YELLOW
VACP 28D



ORANGE
VACP 29D



GALAXY BLACK
VACP 35D



ANTIQUO OAK
VACP 811S



COPPER GREY
VACP 812S



BRUSHED SILVER
VACP 813D



WALNUT COFFEE
VACP 814D



GLOSSY PEARL
WHITE
VACP 815D



GLOSSY PEARL
BLACK
VACP 816D

LAMINA GLASS

72 colours with different visual effect for selection.

ILLUSION SERIES (METALLIC)



MS-1021
VENUS WHITE

TITAN SERIES (METALLIC)



MT-2001
TITAN RED

SOLID SERIES



SD-3001
SNOW WHITE

WOODGRAIN SERIES



WG-4001
SKYLINE

GALAXY SERIES



GX-5001
GALAXY WHITE

TRANSLUCENT SERIES



TC-6502
FROSTED WHITE

FANCY SERIES



FC-7001
FLOW BLACK



MS-1024
BLACK SKY



MT-2003
TITAN PURPLE



SD-3002
CHANSEY RED



WG-4003
ICELAND



GX-5004
GALAXY BLACK



TC-6505
FROSTED PINK



FC-7002
FLOW WHITE

SPECIFICATIONS

	200 SERIES BI-FOLD DOOR					
Model	BI-FOLD KING SERIES				BI-FOLD ONE SERIES	
	BI-FOLD KING ® AIR		BI-FOLD KING ® PRO		BI-FOLD ONE ® AIR	
Sub Model	230B		230A		210C	
	231B (B2)	232B (B4)	231A (B2)	232A (B4)	211C (B2)	212C (B4)
Maximum Size	48" (W) x 96"(H)				48" (W) x 96"(H)	
Detachable Top Track	Yes				Yes	
Type of Lock	Indicator Lock (Vector 10i)				Indicator Lock (Vector 20i)	
Infill Panel	<ol style="list-style-type: none"> Eco Art Panel Aerolite Panel Aluminium Composite Panel Lamina Glass (39" X 87") 				<ol style="list-style-type: none"> Eco Art Panel Aerolite Panel Aluminium Composite Panel Lamina Glass (36" X 84") 	
Featured Accessories	<ol style="list-style-type: none"> U-Shaped Quad Suspended Roller Adjustable Top Stopper DIY Nut (Top & Side) U-Channel (Top & Side) Pivot Plug Bottom Guide Bottom Block 		<ol style="list-style-type: none"> U-Shaped Quad Suspended Roller Adjustable Top Stopper DIY Nut (Top & Side) U-Channel (Top & Side) Cloth Hanger 		<ol style="list-style-type: none"> Duo Suspended Roller Adjustable Top Stopper Pivot Plug Bottom Guide Bottom Block DIY Nut (Top & Side) U-Channel (Top & Side) 	
Multi-folding Design	-		-		-	
Frame Colour	 Powder Coating Sandblast White  Powder Coating Sandblast Grey				 Powder Coating White  Natural Anodised  Powder Coating Matt Black	

Specifications are subject to change without prior notice.

200 SERIES BI-FOLD DOOR

BI-FOLD ONE SERIES				BI-FOLD MINI SERIES			
BI-FOLD ONE ® PRO		BI-FOLD ONE ® LITE		BI-FOLD MINI ® PRO		BI-FOLD MINI ® LITE	
210B		210A		250B		250A	
211B (B2)	212B (B4)	211A (B2)	212A (B4)	253B (B2)	251B (B4)	253A (B2)	251A (B4)
48" (W) x 96"(H)				48" (W) x 96"(H)			
Yes		No		No			
Indicator Lock (Vector 20i)				Indicator Lock (Vector 20i)			
<ol style="list-style-type: none"> 1. Eco Art Panel 2. Aerolite Panel 3. Aluminium Composite Panel 4. Lamina Glass (36" X 84") 				<ol style="list-style-type: none"> 1. Eco Art Panel 2. Aerolite Panel 3. Aluminium Composite Panel 4. Lamina Glass (36" X 84") 			
<ol style="list-style-type: none"> 1. Duo Suspended Roller 2. Adjustable Top Stopper 3. DIY Nut (Top & Side) 4. U-Channel (Top & Side) 5. Cloth Hanger 		<ol style="list-style-type: none"> 1. Bearing Steel Roller 2. Adjustable Top Stopper 3. DIY Nut (Top & Side) 4. U-Channel (Top & Side) 5. Cloth Hanger 		<ol style="list-style-type: none"> 1. Duo Suspended Roller 2. Adjustable Top Stopper 3. DIY Nut (Top & Side) 4. U-Channel (Top & Side) 5. Cloth Hanger 		<ol style="list-style-type: none"> 1. Bearing Steel Roller 2. Adjustable Top Stopper 3. DIY Nut (Top & Side) 4. U-Channel (Top & Side) 5. Cloth Hanger 	
Type1, Type2, Type3, Type4, Type5, Type6 & Type7				Type1, Type2, Type3, Type4, Type5, Type6 & Type7			
<div style="display: flex; flex-direction: column; gap: 10px;"> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; background-color: white; margin-right: 5px;"></div> PCW Powder Coating White </div> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; background-color: #cccccc; margin-right: 5px;"></div> NA Natural Anodised </div> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; background-color: black; margin-right: 5px;"></div> PCMB Powder Coating Matt Black </div> </div>				<div style="display: flex; flex-direction: column; gap: 10px;"> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; background-color: white; margin-right: 5px;"></div> PCW Powder Coating White </div> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; background-color: #cccccc; margin-right: 5px;"></div> NA Natural Anodised </div> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; background-color: black; margin-right: 5px;"></div> PCMB Powder Coating Matt Black </div> </div>			



Our Quality Assurance:



Our Awards & Achievements:



www.vitality.com.my



vitalitygroup



vitality

BFS-BRO04-2124

Authorised Dealer: