

# ALUMINIUM BI-FOLD SERIES

200 series



# INTELLECTUAL PROPERTY NOTICE

All trade marks in this catalogue, unless otherwise indicated, are subject to the trade mark rights of Vitally Sdn. Bhd. or its related parties and are registered trade marks in Malaysia and other countries. Vitally Sdn. Bhd. or its related parties protect their marks, brands, model names and logos in all countries in which it uses them.

Certain features and/or functionality of the products and/or systems of Vitally Sdn. Bhd. or its related parties as described in this catalogue are the subject matter of granted certificates for utility innovations or patent applications pending before the Intellectual Property Corporation of Malaysia.

The shape, configuration, pattern and/or ornament of the designs applied onto the products found in this catalogue have, where permissible, been protected by way of registered industrial designs in Malaysia by Vitally Sdn. Bhd. or its related parties.

All materials, including texts, images, logos, designs, graphics, photographs, and other materials that appear as part of this catalogue are properties owned or licensed by Vitally Sdn. Bhd. or its related parties, and are protected by copyright or other intellectual property laws all around the world, and all such rights are reserved. The contents of this catalogue, and the catalogue as a whole, may not be scanned, reproduced, adapted, modified, published, or distributed, in whole or in part, without the prior written consent of Vitally Sdn. Bhd. or its related parties.

Vitally Sdn. Bhd. or its related parties views matters relating to its intellectual property rights and interests seriously and will take the necessary actions to protect and enforce its rights against third parties found to be infringing its rights.

## NOTIS HARTA INTELEK

Kesemua cap dagangan yang terkandung dalam katalog ini, melainkan yang dinyatakan sebaliknya, adalah tertakluk kepada hak cap dagangan Vitally Sdn. Bhd. atau pihak-pihak yang berkaitan dengannya dan merupakan cap-cap dagangan berdaftar di Malaysia dan negara-negara lain. Vitally Sdn. Bhd. atau pihak-pihak yang berkaitan dengannya telah melindungi cap, jenama, nama model dan logo kepunyaan mereka di negara-negara di mana mereka menggunakan cap, jenama, nama model dan logo tersebut.

Ciri-ciri dan/atau fungsi tertentu produk dan/atau sistem Vitally Sdn. Bhd. atau pihak-pihak yang berkaitan dengannya sepertimana yang diuraikan dalam katalog ini merupakan hal perkara bagi siji-sijil perbaharuan utiliti yang telah dianugerahkan atau permohonan-permohonan paten yang telah ditailai dengan Perbadanan Harta Intelek Malaysia.

Ciri bentuk, tatarajah, corak dan/atau hiasan yang digunakan pada produk-produk yang dinyatakan dalam katalog ini telah, di mana ia dibenarkan, dilindungi oleh reka bentuk perindustrian berdaftar di Malaysia oleh Vitally Sdn. Bhd. atau pihak-pihak yang berkaitan dengannya.

Kesemua bahan, termasuk teks, imej, logo, reka bentuk, grafik, gambar dan bahan-bahan lain yang terkandung di mana-mana bahagian katalog ini merupakan harta yang dimiliki oleh atau dilesenkan oleh Vitally Sdn. Bhd. atau pihak-pihak yang berkaitan dengannya dan telah dilindungi oleh hakcipta atau undang-undang harta intelek yang lain di seluruh dunia dan kesemua hak tersebut adalah terpelihara. Kandungan katalog ini, dan katalog ini secara keseluruhannya, tidak boleh diimbis, dikeluarkan semula, diubahsuai, disadur, disesuaikan, diterbitkan, atau diedarkan, sama ada secara keseluruhannya atau sebahagiannya, tanpa keizinan terdahulu secara bertulis dari Vitally Sdn. Bhd. atau pihak-pihak yang berkaitan dengannya.

Vitally Sdn. Bhd. atau pihak-pihak yang berkaitan dengannya memandang serius terhadap perkara-perkara berhubung dengan hak-hak harta inteleknya dan akan mengambil tindakan yang bersesuaian bagi melindungi dan menguatkuasa hak-hak tersebut ke atas pihak ketiga yang didapati melanggar hak-hak tersebut.

## 知识产权通告

本产品目录册中的所有商标,皆受制于Vitally Sdn. Bhd. 或其相关方的商标权, 并于马来西亚与其他国家受承认为注册商标, 除非另有说明。所有Vitally Sdn. Bhd. 或其相关方正在使用的商标, 品牌, 型号名称与标志, 皆已于相关国家受保护。

本产品目录册中所描述并属于Vitally Sdn. Bhd. 或其相关方的产品和/或系统的特定特征和/或特定功能, 乃Vitally Sdn. Bhd. 或其相关方已成功注册为实用新型专利中的发明元素或已呈交于马来西亚知识产权局的专利申请中的发明元素。

所有应用于本产品目录册中所描述的产品上之形状、配置、图案和/或设计, 在被允许的情况下, 已在马来西亚获得Vitally Sdn. Bhd. 或其相关方名下的工业设计注册之保护。

所有素材, 包括文字、图像、标志、设计、图形设计、照片, 以及其它在本产品目录册中所使用的素材皆由Vitally Sdn. Bhd. 或其相关方所拥有或授权, 并在世界各地受到版权或其它知识产权法律的保护。我们一律保留所有相关权益。本产品目录册的内容以及整体目录册, 无论是整体或部分, 在未获得Vitally Sdn. Bhd. 或其相关方的预先书面同意之下, 一律不得被扫描、复制、改编、修改、发布或分发。


Vitally Sdn. Bhd. 或其相关方严谨看待其知识产权与权益。为了保护并执行有关产权与权益, 我们将采取必要的行动以杜绝第三方的任何侵权行为。

# VECTOR 10i

PRIVACY LOCK



## Open




## Close



Specifically Designed For :





**QUICK ACCESS  
IN EMERGENCIES**


## **SAFETY & CONVENIENCE**

If children accidentally lock the door from inside, it can be easily unlocked from the outside using a coin.



# VECTOR 20i

PRIVACY LOCK




## Open



Rear

Front

## Close



Rear

Front

Specifically Designed For :

BI-FOLD®  
**one**

BI-FOLD®  
**mini**



**Without**  
Bottom Track

GRAPHIC: M112190



# BI-FOLD KING® AIR

## 230B

### TRACKLESS

SUSPENDED BI-FOLD DOOR

- Barrier-free Pathway
- Safe and Convenient
- Reduce Cleaning Hassle
- Powder Coating Sandblast Finishing
- Detachable Top Track
- Vector 10i Privacy Lock
- Door Withstand up to 40kg



TESTED & PROVEN!

# 150,000X

OPENING & CLOSING CYCLE TEST


## U-SHAPED QUAD SUSPENDED ROLLER

This innovative Suspended Roller firmly grabs the top track to ensure smooth and silent sliding.

Door Withstand Up To  
**40KG**  
of weight for long  
term usage.



## OUTER FRAME DESIGN (POWDER COATING SANDBLAST)



SBW  
COLOUR



SBB  
COLOUR

## ADJUSTABLE TOP STOPPER \*1



## BOTTOM BLOCK \*2



## PIVOT PLUG \*3



## BOTTOM GUIDE \*4 / \*5



\*1,2,3,4 & 5 please refer to page 22.

## VECTOR 10i PRIVACY LOCK




## DETACHABLE TOP TRACK

The Top Track is detachable to  
easy roller maintenance and  
installation.



## D.I.Y. NUT & U-CHANNEL





# BI-FOLD KING® PRO

230A

## HEAVY DUTY SUSPENDED BI-FOLD DOOR

- Smooth and Solid
- Powder Coating Sandblast Finishing
- Detachable Top Track
- Vector 10i Privacy Lock
- Door Withstand up to 40kg



TESTED & PROVEN!

# 150,000X

OPENING & CLOSING CYCLE TEST

## U-SHAPED QUAD SUSPENDED ROLLER

Door Withstand Up To

# 40KG

of weight for long  
term usage.



TOP


BOTTOM

## VECTOR 10i PRIVACY LOCK



## D.I.Y. NUT & U-CHANNEL

The D.I.Y. Nuts push U-Channel to fill up the gap between the door frame and the wall for easy installation.



## OUTER FRAME DESIGN

(POWDER COATING SANDBLAST)



SBW  
COLOUR

SBB  
COLOUR

## ADJUSTABLE TOP STOPPER \*1



## DETACHABLE TOP TRACK



\*1 please refer to page 22.

TESTED & PROVEN!

# 150,000X

OPENING & CLOSING CYCLE TEST

## DUO SUSPENDED ROLLER

The extra tough Suspended Roller, ensures smooth and silent sliding.

Door Withstand Up To

# 20KG

of weight for long term usage.



## VECTOR 20i PRIVACY LOCK



### ADJUSTABLE TOP STOPPER \*1



### BOTTOM BLOCK \*2




### PIVOT PLUG \*3




### BOTTOM GUIDE \*4 / \*5



### D.I.Y. NUT & U-CHANNEL



## OUTER FRAME DESIGN (POWDER COATING / ANODISED)



## DETACHABLE TOP TRACK

The Top Track is detachable to easy roller maintenance and installation.





BI-FOLD®  
**one**

# BI-FOLD ONE® AIR 210C

## TRACKLESS SUSPENDED BI-FOLD DOOR

- Barrier-free Pathway
- Safe and Convenient
- Reduce Cleaning Hassle
- Powder Coating / Anodised Finishing
- Detachable Top Track
- Vector 20i Privacy Lock
- Door Withstand up to 20kg



**Without**  
Bottom Track

BI-FOLD<sup>®</sup>  
**one**

# BI-FOLD ONE<sup>®</sup> PRO 210B


## DURABILITY

SUSPENDED BI-FOLD DOOR

- Reliable and Durable •
- Powder Coating / Anodised Finishing •
- Detachable Top Track •
- Vector 20i Privacy Lock •
- Door Withstand up to 20kg •



**OUTER FRAME DESIGN**  
(POWDER COATING / ANODISED)



**VECTOR 20i**  
PRIVACY LOCK



TESTED & PROVEN!

**150,000X**

OPENING & CLOSING CYCLE TEST

**DUO SUSPENDED ROLLER**

Door Withstand Up To  
**20KG**  
of weight for long term usage.



**DETACHABLE TOP TRACK**


The Top Track is detachable to easy roller maintenance and installation.



**ADJUSTABLE TOP STOPPER \*1**



**D.I.Y. NUT & U-CHANNEL**



\*1 please refer to page 22.



GRAPHIC: M112138

# BI-FOLD ONE® LITE

## 210A

## STABILITY

STANDARD BI-FOLD DOOR

- Powder Coating / Anodised Finishing
- Vector 20i Privacy Lock
- Door Withstand up to 15kg



BI-FOLD®  
**one**



TESTED & PROVEN!

# 150,000X

OPENING & CLOSING CYCLE TEST

## BEARING STEEL ROLLER

Door Withstand Up To

# 15KG

of weight for long term usage.




Bottom

## VECTOR 20i PRIVACY LOCK



## OUTER FRAME DESIGN


(POWDER COATING / ANODISED)



## ADJUSTABLE TOP STOPPER \*1



## D.I.Y. NUT & U-CHANNEL



\*1 please refer to page 22.



BI-FOLD®  
**mini**

# BI-FOLD MINI®PRO

**250B**


## RELIABILITY

SUSPENDED BI-FOLD DOOR

- Powder Coating / Anodised Finishing
- Vector 20i Privacy Lock
- Door Withstand up to 20kg



**OUTER FRAME DESIGN**  
(POWDER COATING / ANODISED)



**VECTOR 20i**  
PRIVACY LOCK



**DUO**  
**SUSPENDED**  
**ROLLER**

Door Withstand Up To  
**20KG**  
of weight for long  
term usage.



Top





Bottom

**ADJUSTABLE**  
**TOP STOPPER** \*1



**D.I.Y. NUT & U-CHANNEL**



\*1 please refer to page 22.

BI-FOLD<sup>®</sup>  
**mini**

# BI-FOLD MINI<sup>®</sup>LITE

**250A**

## **PRACTICALITY**

STANDARD BI-FOLD DOOR

- Powder Coating / Anodised Finishing
- Vector 20i Privacy Lock
- Door Withstand up to 15kg



## OUTER FRAME DESIGN

(POWDER COATING / ANODISED)



## VECTOR 20i PRIVACY LOCK



## BEARING STEEL ROLLER

Door Withstand Up To

**15KG**

of weight for long  
term usage.



Top




Bottom

## ADJUSTABLE TOP STOPPER \*1



## D.I.Y. NUT & U-CHANNEL




\*1 please refer to page 22.

# LOUVER DESIGN

Special louver design provide great ventilation allowing air to flow through.


## B2 DOOR

## B4 DOOR




B2V03

Panel: VACP19D



B2V02

Panel: VACP11D



B2V01

Panel: VACP20D



B4V03

Panel: VACP18D



B4V02

Panel: VACP10D




B4V01

Panel: VACP15D



B4V00



# LATTICE DESIGN

Lattice design is an alternative to straddles the line between functional and decorative.


## B2 DOOR

## B4 DOOR



B2C01

Panel: VACP10D



B2C03

Panel: VACP17D




B2C05

Panel: VACP19D



B2C06

Panel: VACP16D




B2C07

Panel: VACP18D



B2C09

Panel: VACP15D



B4C16

Panel: VACP11D




B4C20


Panel: VACP14D

# FIXED DESIGN


Fixed partition system designed for large opening can easily change the perception of physical borders.



TYPE 1



TYPE 2



TYPE 3



# MULTI-FOLDING DESIGN

Multi-Folding design offers maximum space saving with multitude of applications.



Door brush between the gaps ensures smooth and quiet door operation.

Only applicable to the following models:

BI-FOLD®  
**one**

BI-FOLD ONE®AIR (Bi-2 & Bi-4) [ Type2 only ]  
BI-FOLD ONE®PRO (Bi-2 & Bi-4)  
BI-FOLD ONE®LITE (Bi-2 & Bi-4)

BI-FOLD®  
**mini**


BI-FOLD MINI®PRO (Bi-2 & Bi-4)  
BI-FOLD MINI®LITE (Bi-2 & Bi-4)




TYPE 1




TYPE 2




TYPE 3



TYPE 4




TYPE 5




TYPE 6



TYPE 7



TYPE 8



TYPE 9

# ACCESSORIES INDEX

GRAPHIC: M112142



## \*1 ADJUSTABLE TOP STOPPER

The Top Stopper adjustment ensures smoother door operation and prevents unintentional door opening.



## \*2 BOTTOM BLOCK

This special designed Bottom Block ensures the door is lock firmly and steadily with least wobbling after closing, even without the Bottom Track.



## \*3 PIVOT PLUG

Pivot Plug enables easy installation and alteration as adjustment of position can be done easily without needing to change the rollers.



## \*4 / \*5 BOTTOM GUIDE

The Bottom Guide consists of Door Catch, Door Catch Fix and Pivot Socket which combine perfectly for a neat and consistent door closing. After being fastened to the Pivot Socket, it serves as the guide and stabiliser to ensure the door to be closed perfectly and steadily with minimum wobbling.

\*4



Door Catch



Pivot Socket



Bottom Door Guide Assembly



\*5



Door Catch Fix



Pivot Socket



Bottom Door Guide Assembly



# CHOICES OF INFILL PANEL

## ECO ART PANEL

There are thousands of different design for selection.



SCAN ME  
FOR MORE DESIGNS.

Look for more eco art panel design at  
[www.vitality.com.my/e-catalog-category/eco-art-panel/](http://www.vitality.com.my/e-catalog-category/eco-art-panel/)




ecopoly®  
TRANSPARENT

ecoscreen®  
TRANSLUCENT

ecobonz®  
OPAQUE

## AEROLITE PANEL

### SOLID COLOURS



Snow White  
ASD 112



SALISBURY STONE  
ASD 107



VIOLET VERONA  
ASD 105



GRAPHITE  
ASD 122



GOLDEN BARK  
ASD 109



TOMATO RED  
ASD 120



BLACK  
ASD 123

### WOODGRAIN



FINELINE  
AWG 201



WATERFALL LINE  
AWG 203



WHEAT STRAND  
AWG 206



BURMESE TEAK  
AWG 212



HAZELNUT CHERRY  
AWG 216



OILED OLIVEWOOD  
AWG 218



BLACKEN LEGNO  
AWG 230

## ALUMINIUM COMPOSITE PANEL



FLASH SILVER  
VACP 10S



FLASH GOLD  
VACP 11S



SNOW WHITE  
VACP 12D



CREME BEIGE  
VACP 13D



CREAMY GREEN  
VACP 14D



SPRING GREEN  
VACP 15D



LAGOON BLUE  
VACP 16D



PORCELAIN BLUE  
VACP 17D



TROPIC BLUE  
VACP 18D



IVORY ROSE  
VACP 19D



AMAZON RED  
VACP 20D



DARK CHOCOLATE  
VACP 21D



CHARCOAL GREY  
VACP 22D




BOSIC BLACK  
VACP 23D




BLACK SILVER  
VACP 26D



YELLOW  
VACP 28D



ORANGE  
VACP 29D



GALAXY BLACK  
VACP 35D



ANTIQUO OAK  
VACP 811S



COPPER GREY  
VACP 812S



BRUSHED SILVER  
VACP 813D



WALNUT COFFEE  
VACP 814D



GLOSSY PEARL  
WHITE  
VACP 815D



GLOSSY PEARL  
BLACK  
VACP 816D

## LAMINA GLASS

### ILLUSION SERIES (METALLIC)



MS-1021  
VENUS WHITE

### TITAN SERIES (METALLIC)



MT-2001  
TITAN RED

### SOLID SERIES



SD-3001  
SNOW WHITE

### WOODGRAIN SERIES



WG-4001  
SKYLINE

### GALAXY SERIES



GX-5001  
GALAXY WHITE

### TRANSLUCENT SERIES



TC-6501  
FROSTED CLEAR

### FANCY SERIES



FC-7001  
FLOW BLACK



MS-1024  
BLACK SKY



MT-2006  
TITAN SILVER



SD-3007  
NEON FOREST



WG-4002  
SUNLINE



GX-5004  
GALAXY BLACK








TC-6502  
FROSTED WHITE



FC-7002  
FLOW WHITE

# SPECIFICATIONS

	200 SERIES BI-FOLD DOOR					
Model	BI-FOLD KING SERIES				BI-FOLD ONE SERIES	
	BI-FOLD KING ® AIR		BI-FOLD KING ® PRO		BI-FOLD ONE ® AIR	
Sub Model	230B		230A		210C	
	231B (B2)	232B (B4)	231A (B2)	232A (B4)	211C (B2)	212C (B4)
Maximum Size	48" (W) x 96"(H)				48" (W) x 96"(H)	
Detachable Top Track	Yes				Yes	
Type of Lock	Privacy Lock (Vector 10i)				Privacy Lock (Vector 20i)	
Infill Panel	1. Eco Art Panel 2. Aerolite Panel 3. Aluminium Composite Panel 4. Lamina Glass				1. Eco Art Panel 2. Aerolite Panel 3. Aluminium Composite Panel 4. Lamina Glass	
Featured Accessories	1. U-Shaped Quad Suspended Roller 2. Adjustable Top Stopper 3. DIY Nut (Top & Side) 4. U-Channel (Top & Side) 5. Pivot Plug 6. Bottom Guide 7. Bottom Block		1. U-Shaped Quad Suspended Roller 2. Adjustable Top Stopper 3. DIY Nut (Top & Side) 4. U-Channel (Top & Side)		1. Duo Suspended Roller 2. Adjustable Top Stopper 3. Pivot Plug 4. Bottom Guide 5. Bottom Block 6. DIY Nut (Top & Side) 7. U-Channel (Top & Side)	
Multi-folding Design	-		-		Type2	
Frame Colour	 Powder Coating Sandblast White  Powder Coating Sandblast Black				 Powder Coating White  Natural Anodised  Powder Coating Matt Black	

Specifications are subject to change without prior notice.

## 200 SERIES BI-FOLD DOOR

BI-FOLD ONE SERIES				BI-FOLD MINI SERIES			
BI-FOLD ONE ® PRO		BI-FOLD ONE ® LITE		BI-FOLD MINI ® PRO		BI-FOLD MINI ® LITE	
210B		210A		250B		250A	
211B (B2)	212B (B4)	211A (B2)	212A (B4)	253B (B2)	251B (B4)	253A (B2)	251A (B4)
48" (W) x 96"(H)				48" (W) x 96"(H)			
Yes		No		No			
Privacy Lock (Vector 20i)				Privacy Lock (Vector 20i)			
<ol style="list-style-type: none"> <li>1. Eco Art Panel</li> <li>2. Aerolite Panel</li> <li>3. Aluminium Composite Panel</li> <li>4. Lamina Glass</li> </ol>				<ol style="list-style-type: none"> <li>1. Eco Art Panel</li> <li>2. Aerolite Panel</li> <li>3. Aluminium Composite Panel</li> <li>4. Lamina Glass</li> </ol>			
<ol style="list-style-type: none"> <li>1. Duo Suspended Roller</li> <li>2. Adjustable Top Stopper</li> <li>3. DIY Nut (Top &amp; Side)</li> <li>4. U-Channel (Top &amp; Side)</li> </ol>		<ol style="list-style-type: none"> <li>1. Bearing Steel Roller</li> <li>2. Adjustable Top Stopper</li> <li>3. DIY Nut (Top &amp; Side)</li> <li>4. U-Channel (Top &amp; Side)</li> </ol>		<ol style="list-style-type: none"> <li>1. Duo Suspended Roller</li> <li>2. Adjustable Top Stopper</li> <li>3. DIY Nut (Top &amp; Side)</li> <li>4. U-Channel (Top &amp; Side)</li> </ol>		<ol style="list-style-type: none"> <li>1. Bearing Steel Roller</li> <li>2. Adjustable Top Stopper</li> <li>3. DIY Nut (Top &amp; Side)</li> <li>4. U-Channel (Top &amp; Side)</li> </ol>	
Type1, Type2, Type3, Type4, Type5, Type6, Type7, Type8 & Type9				Type1, Type2, Type3, Type4, Type5, Type6, Type7, Type8 & Type9			
<div style="display: flex; flex-direction: column; gap: 10px;"> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; background-color: white; margin-right: 5px;"></div> <span>PCW Powder Coating White</span> </div> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; background-color: lightgray; margin-right: 5px;"></div> <span>NA Natural Anodised</span> </div> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; background-color: black; color: white; margin-right: 5px;"></div> <span>PCMB Powder Coating Matt Black</span> </div> </div>				<div style="display: flex; flex-direction: column; gap: 10px;"> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; background-color: white; margin-right: 5px;"></div> <span>PCW Powder Coating White</span> </div> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; background-color: lightgray; margin-right: 5px;"></div> <span>NA Natural Anodised</span> </div> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 20px; height: 20px; background-color: black; color: white; margin-right: 5px;"></div> <span>PCMB Powder Coating Matt Black</span> </div> </div>			



Our Quality Assurance:



Our Awards & Achievements:



[www.vitaliy.com.my](http://www.vitaliy.com.my)

 Vitaliy   [vitaliy\\_official](#)

BFS-BRO04-2124

Authorised Dealer: